JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 29

AUTHOR INDEX

		No.	Page
1.	AKERS, W. H., Some planktonic Foraminifera of the American Gulf Coast and suggested correlations with the Caribbean Tertiary	4	647
2.	ALLISON, EDWIN C., Middle Cretaceous Gastropoda from Punta China, Baja California, Mexico	3	400
3.	ARKELL, W. J., Nomenclature of family group names	1	188
4.	ARNAL, ROBERT E., Contribution à l'étude des foraminifères des eaux saumâtres; etangs de Canet et de Salses, by Jean and Yolande Le Calvez (English summary of)	4	713
	BANKS, HARLAN P., see FRY, WAYNE L. (34)		
	BELL, WALLACE G., see OKULITCH, VLADIMIR J. (71)		
5.	BENSON, RICHARD H., Ostracodes from the type section of the Fern Glen formation	6	1030
6.	BHATIA, S. B., Foraminiferal fauna of the late Palaeogene sediments of the Isle of Wight, England, The	4	665
7.	BOLLI, H. M., Die Foraminiferen der Oceanic-Formation (Eocaen-Oligocaen) von Barbados, Kl. Antillen, by Jean Pierre Beckmann (Review of)	4	712
8.	BOSTWICK, DAVID A., Stratigraphy of the Wood River formation, south-central Idaho	6	941
	BOUCOT, ARTHUR J., see SWITZER, GEORGE (92)		
9.	BRADY, L. F., Possible nautiloid mandibles from the Permian of Arizona	1	102
10.	BRATTSTROM, BAYARD H., New snakes and lizards from the Eocene of California	1	145
11.	BRATTSTROM, BAYARD H., Pliocene and Pleistocene amphibians and reptiles from southeastern Arizona	1	150
12.	BROOKS, H. K., Crustacean from the Tesnus formation (Pennsylvanian) of Texas, A	5	852
13.	BROWN, NOEL K., JR., Handbook of Cretaceous Foraminifera of Texas, by Don L. Frizzell (Review of)	2	298
14.	BRYANT, DONALD L., Index, type species, and bibliography of productid genera	2	283
15.	CASTER, KENNETH E., and KJELLESVIG-WAERING, ERIK N., *Marsupipterus*, an unusual eurypterid from the Downtonian of England	6	1040
	CASTER, KENNETH E., see KJELLESVIG-WAERING, ERIK N. (54)		
16.	COLLINSON, CHARLES W., Mississippian prolecanitid goniatites from Illinois and adjacent states	3	433
17.	COLLINSON, CHARLES W., New species of *Endolobus* (Nautiloidea) from the Clore limestone (Chester) of western Kentucky, A	1	178
18.	COOPER, G. ARTHUR, New brachiopods from Cuba	1	64
19.	COOPER, G. ARTHUR, New genera of Middle Paleozoic brachiopods	1	45
20.	COOPER, G. ARTHUR, and STEHLI, FRANCIS, New Genera of Permian brachiopods from West Texas	3	469
21.	CROOK, KEITH A. W., *Mazaphyllum*, a new cystiphyllid coral from the Silurian of New South Wales	6	1052
22.	CURTIS, NEVILLE MACKAY, JR., Paleoecology of the Viesca member of the Weches formation at Smithville, Texas	2	263
23.	DECKER, CHARLES E., New Devonian species of *Dictyonema* from Oklahoma, A	4	699
24.	DOOR, JOHN A., JR., More scorpionid trackways from the Permian Lyons sandstone, Colorado	3	546
25.	DURHAM, J. WYATT, Miscellaneous reports of the Research Institute for Natural Resources, numbers 27–33, 1952–1954, Tokyo, Japan (Review of)	4	718
	DURHAM, J. WYATT, see LANGSTON, WANN, JR. (56)		
26.	DUTRO, J. THOMAS, Occurrence of the brachiopod *Isogramma* in the Baird formation of California	5	920
	EIDMAN, SEYMOUR H., see KINDLE, CECIL H. (51)		
27.	FINKS, ROBERT M., *Conularia* in a sponge from the West Texas Permian	5	831
28.	FISHER, DONALD W., and YOUNG, ROBERT S., Oldest known tentaculitid—from the Chepultepec limestone (Canadian) of Virginia, The	5	871
29.	FITZGERALD, J. KERRY, New tabulate coral from New South Wales, A	6	1057
30.	FLOWER, ROUSSEAU H., New Chazyan orthocones	5	806
31.	FLOWER, ROUSSEAU H., Status of endoceroid classification	3	329
32.	FLOWER, ROUSSEAU H., Trails and tentacular impressions of orthoconic cephalopods	5	857

JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 29

AUTHOR INDEX

		No.	Page
1.	AKERS, W. H., Some planktonic Foraminifera of the American Gulf Coast and suggested correlations with the Caribbean Tertiary	4	647
2.	ALLISON, EDWIN C., Middle Cretaceous Gastropoda from Punta China, Baja California, Mexico	3	400
3.	ARKELL, W. J., Nomenclature of family group names	1	188
4.	ARNAL, ROBERT E., Contribution à l'étude des foraminifères des eaux saumâtres; etangs de Canet et de Salses, by Jean and Yolande Le Calvez (English summary of)	4	713
	BANKS, HARLAN P., see FRY, WAYNE L. (34)		
	BELL, WALLACE G., see OKULITCH, VLADIMIR J. (71)		
5.	BENSON, RICHARD H., Ostracodes from the type section of the Fern Glen formation	6	1030
6.	BHATIA, S. B., Foraminiferal fauna of the late Palaeogene sediments of the Isle of Wight, England, The	4	665
7.	BOLLI, H. M., Die Foraminiferen der Oceanic-Formation (Eocaen-Oligocaen) von Barbados, Kl. Antillen, by Jean Pierre Beckmann (Review of)	4	712
8.	BOSTWICK, DAVID A., Stratigraphy of the Wood River formation, south-central Idaho	6	941
	BOUCOT, ARTHUR J., see SWITZER, GEORGE (92)		
9.	BRADY, L. F., Possible nautiloid mandibles from the Permian of Arizona	1	102
10.	BRATTSTROM, BAYARD H., New snakes and lizards from the Eocene of California	1	145
11.	BRATTSTROM, BAYARD H., Pliocene and Pleistocene amphibians and reptiles from southeastern Arizona	1	150
12.	BROOKS, H. K., Crustacean from the Tesnus formation (Pennsylvanian) of Texas, A	5	852
13.	BROWN, NOEL K., JR., Handbook of Cretaceous Foraminifera of Texas, by Don L. Frizzell (Review of)	2	298
14.	BRYANT, DONALD L., Index, type species, and bibliography of productid genera	2	283
15.	CASTER, KENNETH E., and KJELLESVIG-WAERING, ERIK N., *Marsupipterus*, an unusual eurypterid from the Downtonian of England	6	1040
	CASTER, KENNETH E., see KJELLESVIG-WAERING, ERIK N. (54)		
16.	COLLINSON, CHARLES W., Mississippian prolecanitid goniatites from Illinois and adjacent states	3	433
17.	COLLINSON, CHARLES W., New species of *Endolobus* (Nautiloidea) from the Clore limestone (Chester) of western Kentucky, A	1	178
18.	COOPER, G. ARTHUR, New brachiopods from Cuba	1	64
19.	COOPER, G. ARTHUR, New genera of Middle Paleozoic brachiopods	1	45
20.	COOPER, G. ARTHUR, and STEHLI, FRANCIS, New Genera of Permian brachiopods from West Texas	3	469
21.	CROOK, KEITH A. W., *Mazaphyllum*, a new cystiphyllid coral from the Silurian of New South Wales	6	1052
22.	CURTIS, NEVILLE MACKAY, JR., Paleoecology of the Viesca member of the Weches formation at Smithville, Texas	2	263
23.	DECKER, CHARLES E., New Devonian species of *Dictyonema* from Oklahoma, A	4	699
24.	DOOR, JOHN A., JR., More scorpionid trackways from the Permian Lyons sandstone, Colorado	3	546
25.	DURHAM, J. WYATT, Miscellaneous reports of the Research Institute for Natural Resources, numbers 27–33, 1952–1954, Tokyo, Japan (Review of)	4	718
	DURHAM, J. WYATT, see LANGSTON, WANN, JR. (56)		
26.	DUTRO, J. THOMAS, Occurrence of the brachiopod *Isogramma* in the Baird formation of California	5	920
	EIDMAN, SEYMOUR H., see KINDLE, CECIL H. (51)		
27.	FINKS, ROBERT M., *Conularia* in a sponge from the West Texas Permian	5	831
28.	FISHER, DONALD W., and YOUNG, ROBERT S., Oldest known tentaculitid—from the Chepultepec limestone (Canadian) of Virginia, The	5	871
29.	FITZGERALD, J. KERRY, New tabulate coral from New South Wales, A	6	1057
30.	FLOWER, ROUSSEAU H., New Chazyan orthocones	5	806
31.	FLOWER, ROUSSEAU H., Status of endoceroid classification	3	329
32.	FLOWER, ROUSSEAU H., Trails and tentacular impressions of orthoconic cephalopods	5	857

33. FRITZ, M. A., and HOWELL, B. F., Upper Cambrian coral from Montana, An..... 1 181
34. FRY, WAYNE L., and BANKS, HARLAN P., Three new genera of algae from the Upper Devonian of New York..... 1 37
35. FURNISH, W. M., MILLER, A. K., and YOUNGQUIST, WALTER, Discovery of the early Mississippian goniatite *Protocanites* in northeastern Nevada..... 1 186
FURNISH, W. M., see MILLER, A. K. (63, 64, 65)
36. GIBSON, LEE B., Upper Devonian Ostracoda: corrections..... 6 1069
37. HAAS, OTTO, A Case of Parallelism in Upper Cretaceous Ammonites..... 6 1070
38. HAAS, OTTO, Composition of scientific words, by Roland Wilbur Brown (Review of) 3 559
39. HAAS, OTTO, Étude géologique des bassins Mio-Pliocènes du nord-est de la Tunisie (Région entre Mateur, Ferryville et Porto-Farina), by P. F. Burollet (Review of).. 4 717
40. HAAS, OTTO, Les ammonites pyriteuses du Tithonique supérieur et du Berriasien de Tunisie centrale, by Mme. S. Arnoud-Saget (Review of)..... 4 717
41. HAAS, OTTO, O tempora, O mores!..... 1 189
42. HARRINGTON, HORACIO J., Permian *Eurydesma* fauna of eastern Argentina, The... 1 112
43. HOFFMEISTER, WILLIAM S., STAPLIN, FRANK L., and MALLOY, RAYMOND E., Mississippian plant spores from the Hardinsburg formation of Illinois and Kentucky... 3 372
44. HOUGH, JEAN, Upper Eocene fauna from the Sage Creek area, Beaverhead County, Montana, An..... 1 22
45. HOWELL, B. F., *Paraterebella*, new name for *Terebellopsis* Howell, 1953..... 1 189
46. HOWELL, B. F., *Phalagnostus*, new genus for trilobite *Battus nudus* Beyrich..... 5 925
HOWELL, B. F., see FRITZ, M. A. (33)
47. IMLAY, RALPH W., Stratigraphic and geographic range of the late Cretaceous pelecypod *Didymotis*..... 3 548
48. JELETZKY, J. A., *Belemnitella praecursor*, probably from the Niobrara of Kansas, and some stratigraphic implications..... 5 876
49. JELETZKY, J. A., Evolution of Santonian and Campanian *Belemnitella* and paleontological systematics: exemplified by *Belemnitella praecursor* Stolley..... 3 478
50. KESLING, ROBERT V., and KILGORE, JOHN E., *Bairdia epicypha*, new name for *Bairdia gibbera* Kesling & Kilgore, 1952, non Morey, 1935..... 1 189
KILGORE, JOHN E., see KESLING, ROBERT V. (50)
51. KINDLE, CECIL H., and EIDMAN, SEYMOUR H., Fauna of the Kanouse sandstone at Highland Mills, New York..... 1 183
52. KJELLESVIG-WAERING, ERIK N., *Dorfopterus*, a new genus of Eurypterida from the Devonian of Wyoming..... 4 696
53. KJELLESVIG-WAERING, ERIK N., New phyllocarid and eurypterid from the Silurian of Florida, A..... 2 295
54. KJELLESVIG-WAERING, ERIK N., and CASTER, KENNETH E., Pterygotidae of the Silurian Vernon shales of New York, The..... 6 1041
KJELLESVIG-WAERING, ERIK N., see CASTER, KENNETH E. (15)
55. KUMMEL, BERNHARD, and LLOYD, RONALD M., Experiments on relative streamlining of coiled cephalopod shells..... 1 159
56. LANGSTON, WANN, JR., and DURHAM, J. WYATT, Sauropod dinosaur from Colombia, A..... 6 1047
57. LARSON, E. RICHARD, and SCOTT, JAMES B., *Helicoprion* from Elko County, Nevada 5 918
58. LEVINSON, STUART, A., Handbook of ostracod taxonomy, by Henry V. Howe (Review of)..... 6 1072
59. LEVINSON, STUART A., *Micropaleontology*, Amer. Mus. Nat. Hist., New York, Brooks F. Ellis and Angelina R. Messina, editors (Review of)..... 6 1072
60. LINDSTRÖM, MAURITS, Conodonts described by A. R. Hadding, 1913, The..... 1 105
LLOYD, RONALD M., see KUMMEL, BERNHARD (55)
61. MACDONALD, J. R., Leptochoeridae, The..... 3 439
MALLOY, RAYMOND E., see HOFFMEISTER, WILLIAM S. (43)
62. MAYNC, WOLF, *Reticulophragmium*, n. gen., a new name for *Alveolophragmium stschedrina*, 1936 (pars)..... 3 557
63. MILLER, A. K., and FURNISH, W. M., Aturias from southern Chile..... 3 467
64. MILLER, A. K., and FURNISH, W. M., Carboniferous guide fossil, *Tylonautilus*, in America, The..... 3 462
65. MILLER, A. K., FURNISH, W. M., and PAGUAGA, ALFONSO SEGURA, Aturias from Costa Rica..... 3 465
MILLER, A. K., see FURNISH, W. M. (35)
66. MILLER, HALSEY W., JR., Check-list of the Cretaceous and Tertiary vertebrates of New Jersey, A..... 5 903
67. NAKKADY, S. E., Stratigraphical implication of the accelerated tempo of evolution in the Mesozoic-Cenozoic transition of Egypt, The..... 4 702
68. NICOL, DAVID, Morphology of *Astartella*, a primitive heterodont pelecypod..... 1 155

69. NICOL, DAVID, Nomenclatural review of the Paleozoic pelecypod family Conocardiidae 3 552
70. NOREM, W. L. *Tytthodiscus*, a new microfossil genus from the California Tertiary ... 4 694
71. OKULITCH, VLADIMIR J., and BELL, WALLACE G., *Gallatinospongia*, a new siliceous sponge from the Upper Cambrian of Wyoming 3 460
PAGUAGA, ALFONSO SEGURA, see MILLER, A. K. (65)
72. PALMER, ALLISON R., Upper Cambrian Agnostidae of the Eureka District, Nevada 1 86
73. PALMER, KATHERINE V. W., New name for *Hipponix floridanus* Palmer, 1953 ..... 3 558
74. PARKER, ROBERT H., Changes in the invertebrate fauna, apparently attributable to salinity changes, in the bays of central Texas 2 193
75. PEABODY, FRANK E., Taxonomy and the footprints of tetrapods 5 915
76. PECK, RAYMOND E., Cretaceous microcrinoids from England 6 1019
77. PETRUNKEVITCH, ALEXANDER, *Trigonotarbus arnoldi*, a new species of fossil arachnid from southern France 3 475
78. PETTERS, V., Development of Upper Cretaceous foraminiferal faunas in Colombia .. 2 212
79. PURI, HARBANS S., *Hermanites*, new name for *Hermania* Puri, 1954 ..... 3 558
80. RUGGIERI, GIULIANO, *Tyrrhenocythere*, a new Recent ostracode genus from the Mediterranean 4 698
SCOTT, JAMES B., see LARSON, E. RICHARD (57)
81. SHAW, ALAN B., Paleontology of northwestern Vermont; IV, a new trilobite genus, The 1 187
82. SHAW, ALAN B., Paleontology of northwestern Vermont; V, the Lower Cambrian fauna 5 775
83. SHOTWELL, J. ARNOLD, Review of the Pliocene beaver *Dipoides* 1 129
84. SKINNER, JOHN W., and WILDE, GARNER L., New fusulinids from the Permian of West Texas 6 927
STAPLIN, FRANK L., see HOFFMEISTER, WILLIAM S. (43)
85. STEHLI, FRANCIS G., *Elliottella*, new name for *Psilonotus* Stehli 4 711
86. STEHLI, FRANCIS G., New Devonian terebratuloid brachiopod with preserved color pattern, A 5 868
STEHLI, FRANCIS G., see COOPER, G. ARTHUR (20)
87. STIRTON, R. A., Two new species of the equid genus *Neohipparion* from the middle Pliocene, Chihuahua, Mexico 5 886
88. SWAIN, FREDERICK M., Ostracoda of San Antonio Bay, Texas 4 561
89. SWEET, WALTER C., Cephalopods from the Fremont formation of central Colorado. 1 71
90. SWEET, WALTER C., Conodonts from the Harding formation (Middle Ordovician) of Colorado 2 226
91. SWEET, WALTER C., Early Paleozoic cephalopods from Wyoming and Utah, Some .. 1 83
92. SWITZER, GEORGE, and BOUCOT, ARTHUR J., Mineral composition of some microfossils, The 3 525
93. TASCH, PAUL, Correction: Triopsidae Keilhack, 1910, not Tchernyshev, 1940 ..... 6 1070
94. TASCH, PAUL, Notes on the taxonomy of the Branchiopoda Notostraca 3 553
95. TASCH, PAUL, Paleoecologic observations on the orthoceratid coquina beds of the Maquoketa at Graf, Iowa 3 510
96. TASCH, PAUL, Triangular graph in population analysis—uses and limitations, The 1 171
97. VOKES, HAROLD E., Notes on Tertiary and Recent Solemyacidae 3 534
98. WALTON, WILLIAM R., Ecology of living benthonic Foraminifera, Todos Santos Bay, Baja California 6 952
99. WEISS, LAWRENCE, Foraminifera from the Paleocene Pale Greda formation of Peru 1 1
100. WEISS, MALCOLM P., Some Ordovician brachiopods from Minnesota and their stratigraphic relations 5 759
101. WELLER, J. MARVIN, Fatuous species and hybrid populations 6 1066
102. WELLER, J. MARVIN, Paleontologists in American Men of Science 5 922
103. WELLER, J. MARVIN, Protista: non-plants, non-animals? 4 707
104. WHEELER, HARRY E., Nonmarine lower Pliocene sediments of California, a geochronologic-stratigraphic classification, by Donald E. Savage (Review of) 4 718
105. WHITTINGTON, HARRY B., Additional new Ordovician graptolites and a chitinozoan from Oklahoma 5 837
WILDE, GARNER L., see SKINNER, JOHN W. (84)
106. WINKLER, ERHARD M., Study of the variation of Recent and fossil ostracodes, A 6 1059
107. WOOD, Albert E., Rodents from the lower Oligocene Yoder formation of Wyoming. 3 519
108. YOUNG, ROBERT S., *Arthrophycus alleghaniensis* as a guide fossil in northern Virginia 3 550
YOUNG, ROBERT S., see FISHER, DONALD W. (28)
YOUNGQUIST, WALTER, see FURNISH, W. M. (35)

SUBJECT INDEX

Agnostidae (trilobite): Cambrian, Nevada (72).
algae: three new genera, Devonian, New York (34).
Alveolophragmium: foraminifer, new name for (62).
American Men of Science: paleontologists in (102).
amphibians: Pliocene, Pleistocene, Arizona (11).
arachnid: *Trigonotarbus arnoldi*, new species, France (77).
Argentina: *Eurydesma* fauna, Permian (42).
Arizona: amphibians, reptiles, Pliocene, Pleistocene (11).
Arizona: nautiloid mandibles, Permian (9).
Arthrophycus alleghaniensis: guide fossil, Virginia (108).
Astartella (pelecypod): morphology (68).
aturias (cephalopod): Eocene, Chile (63); Tertiary, Costa Rica (65).
Baird formation (Mississippian): *Isogramma* (brachiopod), California (26).
Bairdia epicypha (ostracode): new name for *Bairdia gibbera* (50).
Baja California: ecology, living benthonic foraminifers (98).
Baltus nudus (trilobite): *Phalagnostus*, new genus for (46).
beaver: *Dipoides*, Pliocene, Oregon (83).
Belemnitella praecursor (belemnite): evolution, systematics, Cretaceous (49); stratigraphic implications, Niobrara? (Cretaceous), Kansas (48).
bibliography: productid genera (brachiopods) (14).
brachiopods: *Elliottella*, new name (85); index, type species, and bibliography of productid genera (14); *Isogramma*, Baird formation (Mississippian), California (26); new, Cuba (18); new genera, Paleozoic (19); new genera, Permian, Texas (20); new genus, Devonian, Canada (86); stratigraphic relations, Ordovician, Minnesota (100).
branchiopod: Notostraca, taxonomy (94).
California: *Isogramma* (brachiopod), Baird formation (Mississippian) (26); new microfossil genus, *Tytthodiscus*, Tertiary (70); new snakes and lizards, Eocene (10).
Cambrian: Agnostidae, Nevada (72); coral, Montana (33); fauna, Vermont (82); new sponge genus *Gallatinospongia*, Wyoming (71).
Canada: new brachiopod genus, Devonian (86).
Canadian: new tentaculitid species, Chepultepec limestone, Virginia (28).
Carboniferous: *Tylonautilus* (64).
cephalopods: aturias, Eocene, Chile (63); aturias, Tertiary, Costa Rica (65); classification (81); *Endolobus*, new species, Clore limestone (Chester), Kentucky (17); experiments on streamlining (55); Fremont formation, Ordovician, Colorado (89); goniatites, Mississippian, Illinois (16); new, Chazyan (Ordovician) (30); Paleozoic, Wyoming and Utah (91); possible nautiloid mandibles, Permian, Arizona (9); *Protocanites* (goniatite), Mississippian, Nevada (35); trails and tentacular impressions (32); *Tylonautilus*, Carboniferous (64).
Chazyan (Ordovician): nautiloids (cephalopods) (30).
Chepultepec limestone (Canadian): new tentaculitid species, Virginia (28).
Chester (Mississippian): *Endolobus* (nautiloid), new species, Kentucky (17).
Chile: aturias, Eocene (63).
chitinozoans: Ordovician, Oklahoma (105).
Clore limestone (Chester): *Endolobus* (nautiloid), new species, Kentucky (17).
Colombia: foraminiferal faunas, Cretaceous (78); sauropod dinosaur (56).
Colorado: cephalopods, Fremont formation, Ordovician (89); conodonts, Harding formation, Ordovician (90) trackways, scorpionid, Lyons sandstone (Permian) (24).
color pattern: preserved on brachiopod, Devonian, Canada (86).
Conocardiidae (pelecypod): Paleozoic, nomenclatural review (69).
conodonts: described by A. R. Hadding, Ordovician, Sweden (60); Harding formation, Ordovician, Colorado (90).
Conularia: new species, Permian, Texas (27).
corals: Cambrian, Montana (33); *Mazaphyllum*, Silurian, New South Wales (21); New South Wales (29).
corrections: ostracodes, Devonian (36).
Costa Rica: aturias, Tertiary (65).
Cretaceous: *Belemnitella praecursor*, Niobrara?, Kansas (48); check-list of vertebrates, New Jersey (66); foraminiferal faunas, Colombia (78); gastropods, Baja California, Mexico (2); microcrinoids, England (76).
crustacean: *Tesnusocaris*, new genus, Tesnus formation (Pennsylvanian), Texas (12).
Cuba: brachiopods, new (18).
Devonian: algae, new, New York (34); *Dictyonema* (graptolite), new species, Oklahoma (23); fauna of Kanouse sandstone, New York (51); new brachiopod genus, Canada (86); new eurypterid genus, Wyoming (52); ostracodes, corrections (36).

Dictyonema (graptolite): new species, Devonian, Oklahoma (23).
Didymotis (pelecypod): range, Cretaceous (47).
dinosaur: Sauropoda, Colombia (56).
Dipoides: beaver, Pliocene, Oregon (83).
Dorfopterus (eurypterid): new genus, Devonian, Wyoming (52).
Downtonian (Silurian): eurypterid, England (15).
ecology: living benthonic foraminifers, Baja California (98).
Egypt: Mesozoic-Cenozoic evolution tempo (67).
Elliottella (brachiopod): new name for *Psilonotus* Stehli (85).
endoceroids (cephalopods): classification (31).
Endolobus (nautiloid): new species, Clore limestone (Chester), Kentucky (17).
England: eurypterid, Downtonian (Silurian) (15); foraminifers, Palaeogene (Oligocene), Isle of Wight (6); microcrinoids, Cretaceous (76).
Eocene: aturias, Chile (63); fauna, vertebrates, Montana (44); new snakes and lizards, California (10); paleoecology, Viesca member, Weches formation, Texas (22).
equid: new species of *Neohipparion*, Pliocene, Mexico (87).
Eurydesma fauna: Permian, Argentina (42).
eurypterid: *Dorfopterus*, new genus, Devonian, Wyoming (52); *Marsupipterus*, new genus, Downtonian (Silurian), England (15); Pterygotidae, Vernon shales, Silurian, New York (54); Silurian, Florida (53).
evolution: accelerated tempo in Mesozoic-Cenozoic of Egypt (67); *Belemnitella praecursor* (belemnite), Cretaceous (49).
family names: nomenclature (3).
Fern Glen formation (Mississippian): ostracodes, Missouri (5).
Florida: phyllocarid, eurypterid, Silurian (53).
footprints: tetrapods (75).
foraminifers: Cretaceous, Colombia (78); ecology, living benthonic, Baja California (98); fusulinids, Permian, Texas (84); Palaeogene (Oligocene), Isle of Wight, England (6); Pale Greda formation, Paleocene, Peru (99); *Reticulophragmium*, new name (62); Tertiary, American Gulf Coast (1).
France: *Trigonotarbus arnoldi*, new species, arachinid (77).
Fremont formation: cephalopods, Ordovician, Colorado (89).
fusulinids (foraminifers): Permian, Texas (84).
Gallatinospongia (sponge): new genus, Cambrian, Wyoming (71).
gastropods: Cretaceous, Baja California, Mexico (2); new name for *Hipponix floridanus* (73).
goniatites: Mississippian, Illinois (16); *Protocanites*, Mississippian, Nevada (35).
graptolites: *Dictyonema*, new species, Oklahoma (23); Ordovician, Oklahoma (105).
Harding formation: conodonts, Ordovician, Colorado (90).
Hardinsburg formation (Mississippian): plant spores, Illinois, Kentucky (43).
Helicoprion (selachian): Nevada (57).
Hermania (ostracode): new name for (79).
Hermanites (ostracode): new name for *Hermania* (79).
Hipponix floridanus (gastropod): new name (73).
Idaho: stratigraphy, Wood River formation (8).
Illinois: goniatites (cephalopods), Mississippian (16); plant spores, Hardinsburg formation (Mississippian) (43).
index: productid genera (brachiopods) (14).
invertebrate fauna: changes due to salinity, Texas (74).
Iowa: orthoceratid coquina beds, paleoecology, Maquoketa (95).
Isogramma (brachiopod): Baird formation (Mississippian), California (26).
Kanouse sandstone: fauna, Devonian, New York (51).
Kansas: *Belemnitella praecursor*, Niobrara? (Cretaceous) (48).
Kentucky: *Endolobus* (nautiloid), new species, Clore limestone (Chester) (17); plant spores, Hardinsburg formation (Mississippian) (43).
Leptochoeridae (mammal): Oligocene (61).
lizards: new, Eocene, California (10).
Lyons sandstone (Permian): trackways, scorpionid, Colorado (24).
mammal: Leptochoeridae, Oligocene (61).
Maquoketa: orthoceratid coquina beds, paleoecology, Iowa (95).
Marsupipterus (eurypterid): new genus, Downtonian (Silurian), England (15).
Mazaphyllum (coral): new genus, Silurian, New South Wales (21).
Mediterranean: new ostracode genus, Recent (80).
Mexico: gastropods, Cretaceous, Baja California (2); new species of *Neohipparion*, Pliocene (87).
microcrinoids: Cretaceous, England (76).
microfossils: mineral composition (92).
mineral composition: microfossils (92).
Minnesota: brachiopods, Ordovician (100).
Mississippian: *Endolobus* (nautiloid), new species, Chester, Kentucky (17); goniatites (cephalopods),

Illinois (16); *Isogramma* (brachiopod), Baird formation, California (26); ostracodes, Fern Glen formation, Missouri (5); plant spores, Hardinsburg formation, Illinois, Kentucky (43); *Protocanites* (goniatite), Nevada (35).
Missouri: ostracodes, Fern Glen formation (Mississippian) (5).
Montana: coral, Cambrian (33); fauna, vertebrates, Eocene (44).
nautiloids: *Endolobus*, new species, Clore limestone (Chester), Kentucky (17); new, Chazyan (Ordovician) (30).
Neohipparion (equid): *N. flores* and *N. arellanoi*, new species, Pliocene, Mexico (87).
Nevada: Agnostidae, Cambrian (72); *Helicoprion* (57); *Protocanites* (goniatite), Mississippian (35).
New Jersey: check-list, vertebrates, Cretaceous-Tertiary (66).
New South Wales: coral (tabulate) (29); *Mazaphyllum* (coral), Silurian (21).
New York: algae, new, Devonian (34); eurypterid, Vernon shales, Silurian (54); fauna of Kanouse sandstone, Devonian (51).
Niobrara? (Cretaceous): *Belemnitella praecursor*, Kansas (48).
nomenclature: family names (3).
Notostraca (branchiopod): taxonomy (94).
Oklahoma: chitinozoan, graptolites, Ordovician (105); *Dictyonema* (graptolite), new species, Devonian (23).
Oligocene: Leptochoeridae, mammal (61); rodents, Yoder formation, Wyoming (107).
Ordovician: brachiopods, Minnesota (100); cephalopods, Fremont formation, Colorado (89); conodonts, described by A. R. Hadding, Sweden (60); conodonts, Harding formation, Colorado (90); graptolites, chitinozoan, Oklahoma (105).
Oregon: beaver, *Dipoides*, Pliocene (83).
orthoceratid coquina beds: paleoecology, Maquoketa, Iowa (95).
ostracodes: corrections, Devonian (36); *Hermanites* (79); Recent, Texas (88); type section, Fern Glen formation (Mississippian), Missouri (5); *Tyrrhenocythere*, new genus, Recent, Mediterranean (80); variations of Recent and fossil (106).
Palaeogene (Oligocene): foraminifers, Isle of Wight, England (6).
Pale Greda formation: foraminifers, Paleocene, Peru (99).
Paleocene: foraminifers, Pale Greda formation, Peru (99).
paleoecology: orthoceratid coquina beds, Maquoketa, Iowa (95); Viesca member, Weches formation (Eocene), Texas (22).
paleontologists: in American Men of Science (102).
Paleozoic: brachiopods, new genera (19); cephalopods, Wyoming and Utah (91); pelecypods, Conocardiidae, nomenclatural review (69).
Paraterebella: worm, new name for *Terebellopsis* (45).
pelecypods: *Astartella*, morphology of (68); *Didymotis*, range, Cretaceous (47); Paleozoic, nomenclatural review of Conocardiidae (69); Solemyacidae, Tertiary, Recent (97).
Pennsylvanian: new crustacean, Tesnus formation, Texas (12).
Permian: *Conularia*, new species, Texas (27); *Eurydesma* fauna, Argentina (42); fusulinids, Texas (84); nautiloid mandibles, Arizona (9); new brachiopods, Texas (20); trackways, scorpionid, Lyons sandstone (Permian), Colorado (24).
Peru: foraminifers, Pale Greda formation, Paleocene (99).
Phalagnostus (trilobite): new genus for *Battus nudus* (46).
phyllocarid (arthropod): Silurian, Florida (53).
plant spores: Hardinsburg formation (Mississippian), Illinois, Kentucky (43).
Pleistocene: amphibians, reptiles, Arizona (11).
Pliocene: amphibians, reptiles, Arizona (11); beaver, *Dipoides*, Oregon (83); new species of *Neohipparion*, Mexico (87).
population: hybrid (101).
population analysis: triangular graph, uses (96).
Protista: non-plants, non-animals? (103).
Protocanites (goniatite): Mississippian, Nevada (35).
Psilonotus (brachiopod): *Elliottella*, new name for (85).
Pterygotidae (eurypterid): Vernon shales, Silurian, New York (54).
Recent: new ostracode genus, Mediterranean (80); ostracodes, Texas (88); ostracodes, variations with fossil (106).
reptiles: Pliocene, Pleistocene, Arizona (11).
Reticulophragmium (foraminifer): new name for *Alveolophragmium* (62).
rodents: Yoder formation, Oligocene, Wyoming (107).
salinity: effects on invertebrate fauna, Texas (74).
Sauropoda: dinosaur, Colombia (56).
scorpionids: trackways, Lyons sandstone (Permian), Colorado (24).
selachian: *Helicoprion*, Nevada (57).
Silurian: eurypterid, Downtonian, England (15); *Mazaphyllum* (coral), New South Wales (21); phyllocarid, eurypterid, Florida (53).
snakes: new, Eocene, California (10).
Solemyacidae (pelecypods): Tertiary, Recent (97).

species: fatuous (101).
sponges: *Gallatinospongia*, new genus, Cambrian, Wyoming (71); nomenclature (41).
stratigraphy: Wood River formation, Idaho (8).
Sweden: conodonts described by A. R. Hadding, Ordovician (60).
systematics: *Belemnitella praecursor* (belemnite), Cretaceous (49).
taxonomy: fatuous species and hybrid populations (101); Notostraca (94).
tentaculitid: oldest known, new species, Chepultepec limestone (Canadian), Virginia (28).
Terebellopsis: worm, *Paraterebella*, new name (45).
Tertiary: aturias, Costa Rica (64); check-list, vertebrates, New Jersey (66); foraminifers, American Gulf Coast (1); new microfossil genus, *Tytthodiscus*, California (70); Solemyacidae, (97).
Tesnus formation (Pennsylvanian): new crustacean, Texas (12).
Tesnusocaris (crustacean): new genus, Tesnus formation (Pennsylvanian), Texas (12).
tetrapods: footprints, taxonomy (75).
Texas: *Conularia*, new species, Permian (27); fusulinids, Permian, Texas (84); new brachiopods, Permian (20); new crustacean, Tesnus formation (Pennsylvanian) (12); ostracodes, Recent (88); paleoecology, Viesca member, Weches formation (Eocene) (22); salinity effects on invertebrate fauna (74).
trackways: scorpionid, Lyons sandstone (Permian), Colorado (24).
Trigonotarbus arnoldi (arachnid): new species, France (77).
trilobites: Agnostidae, Cambrian, Nevada (72); new genus, Vermont (81); *Phalagnostus*, new genus for *Battus nudus* (46)
Tylonautilus (cephalopod): Carboniferous (64).
type species: productid genera (brachiopods) (14).
Tyrrhenocythere (ostracode): new genus, Recent, Mediterranean (80).
Tytthodiscus: new microfossil genus, Tertiary, California (70).
Utah: cephalopods, Paleozoic (91).
Vermont: Lower Cambrian fauna (82); paleontology of, new trilobite genus (81).
Vernon shales: eurypterid, Silurian, New York (54).
vertebrates: check-list of, Cretaceous and Tertiary, New Jersey (66); fauna, Eocene, Montana (44).
Viesca member: paleoecology, Weches formation (Eocene), Texas (22).
Virginia: *Arthrophycus alleghaniensis* (108); new tentaculitid species, Chepultepec limestone (Canadian) (28).
Weches formation (Eocene): paleoecology, Viesca member, Texas (22).
Wood River formation: stratigraphy, Idaho (8).
?worm burrow: *Arthrophycus alleghaniensis*, Virginia (108).
Wyoming: cephalopods, Paleozoic (91); new eurypterid genus, Devonian (52); new sponge genus *Gallatinospongia*, Cambrian (71); rodents, Yoder formation, Oligocene (107).
Yoder formation: rodents, Oligocene, Wyoming (107).